

***** Welcome to STN International *****

NEWS 1 Web Page for STN Seminar Schedule - N.
America
NEWS 2 DEC 01 ChemPort single article sales feature
unavailable
NEWS 3 FEB 02 Simultaneous left and right truncation
(SLART) added for CERAB, COMPUAB, ELOOM, and
SOLDDSTATE
NEWS 4 FEB 02 GENBANK enhanced with SET PLURALS and
SET SPELLING
NEWS 5 FEB 06 Patent sequence location (PSL) data added to
USGENE
NEWS 6 FEB 10 COMPENDEX reloaded and enhanced
NEWS 7 FEB 11 WTEXTILES reloaded and enhanced
NEWS 8 FEB 19 New patent-examiner citations in 300,000
CA/CAPLUS patent records provide insights into related
prior art
NEWS 9 FEB 19 Increase the precision of your patent queries -
use terms from the IPC Thesaurus, Version 2009.01
NEWS 10 FEB 23 Several formats for image display and print
options discontinued in USPATFULL and USPAT2
NEWS 11 FEB 23 MEDLINE now offers more precise author
group fields and 2009 MeSH terms
NEWS 12 FEB 23 TOXCENTER updates mirror those of
MEDLINE - more precise author group fields and 2009
MeSH terms
NEWS 13 FEB 23 Three million new patent records blast
AEROSPACE into STN patent clusters
NEWS 14 FEB 25 USGENE enhanced with patent family and
legal status display data from INPADOCDB
NEWS 15 MAR 06 INPADOCDB and INPAPAMDB enhanced with
new display formats
NEWS 16 MAR 11 EFPULL backfile enhanced with additional
full-text applications and grants
NEWS 17 MAR 11 ESI/BOASE reloaded and enhanced
NEWS 18 MAR 20 CAS databases on STN enhanced with new
super role for nanomaterial substances
NEWS 19 MAR 23 CA/CAPLUS enhanced with more than
250,000 patent equivalents from China
NEWS 20 MAR 30 IMSPATENTS reloaded and enhanced
NEWS 21 APR 03 CAS coverage of exemplified prophetic
substances enhanced
NEWS 22 APR 07 STN is raising the limits on saved answers
NEWS 23 APR 24 CA/CAPLUS now has more comprehensive
patent assignee information
NEWS 24 APR 26 USPATFULL and USPAT2 enhanced with
patent assignment/reassignment information
NEWS 25 APR 28 CAS patent authority coverage expanded
NEWS 26 APR 28 ENCOMPLT1/ENCOMPLT2 search fields
enhanced
NEWS 27 APR 28 Limits doubled for structure searching in CAS
REGISTRY
NEWS 28 MAY 08 STN Express, Version 8.4, now available
NEWS 29 MAY 11 STN on the Web enhanced
NEWS 30 MAY 11 BELSTEIN substance information now
available on STN Easy
NEWS 31 MAY 14 DGENE, PCTGEN and USGENE enhanced with
increased limits for exact sequence match searches and
introduction of free HIT display format
NEWS 32 MAY 15 INPADOCDB and INPAPAMDB enhanced with
Chinese legal status data
NEWS 33 MAY 28 CAS databases on STN enhanced with NANO
super role in records back to 1992

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS
V8.4, AND CURRENT DISCOVER FILE IS DATED 06 APRIL
2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news
on that specific topic.

All use of STN is subject to the provisions of the STN customer
agreement. This agreement limits use to scientific research.

Use for software development or design, implementation of
commercial gateways, or use of CAS and STN data in the building of
commercial products is prohibited and may result in loss of user privileges
and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 18:17:53 ON 31 MAY 2009

=> file caplus	
COST IN U.S. DOLLARS	SINCE FILE
TOTAL	ENTRY SESSION
FULL ESTIMATED COST	0.22 0.22

FILE 'CAPLUS' ENTERED AT 18:18:08 ON 31 MAY 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER
AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field
(available for records published or updated in Chemical Abstracts after
December 26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in
searching databases on STN. Any dissemination, distribution, copying, or
storing of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 31 May 2009 VOL 150 ISS 23
FILE LAST UPDATED: 29 May 2009 (20090529/ED)
REVISED CLASS FIELDS (/NQU) LAST RELOADED: Feb 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE:
Feb 2009

CAPLUS now includes complete International Patent Classification
(IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate

```
=> s (secur?(20a)(warn? or alert? or alarm?))//bi,ab 74569
SECUR?//BI 70082 SECUR?//AB 12758
WARN?//BI 11309 WARN?//AB 7150
ALERT?//BI 5466 ALERT?//AB 14544
ALARM?//BI 12739 ALARM?//AB
L1 328 (SECUR?(20A)(WARN? OR ALERT? OR
ALARM?))//BI, AB
```

```
=> s (genotyp? or haplotyp? or sequenc? or sequencing or snp
or (single(w)nucleotide(w)polymorphism#))//bi,ab 148761
GENOTYP?//BI 109647 GENOTYP?//AB
29831 HAPLOTYP?//BI 25059 HAPLOTYP?//AB
1044855 SEQUENC?//BI 858327 SEQUENC?//AB
106135 SEQUENC NG//BI 92603 SEQUENC NG//AB
20407 SNP//BI 16435 SNP//AB 1512587
S NGL E//BI 1409050 S NGL E//AB 508980
NUCLEOTI DE//BI 182546 NUCLEOTI DE//AB
195126 POLYMORPHI SM#//BI 122862
POLYMORPHI SM#//AB 28656
S NGL E(W)NUCLEOTI DE(W)POLYMORPHI SM#
L2 1172913 (GENOTYP? OR HAPLOTYP? OR SEQUENC? OR
SEQUENC NG OR SNP OR (S NGL
LE(W)NUCLEOTI DE(W)POLYMORPHI SM#))//BI, AB
```

```
=> l1 and l2
L1 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the
system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).
```

```
=> s l1 and l2
L3 3 L1 AND L2
```

```
=> d his
(FILE 'HOME' ENTERED AT 18:17:53 ON 31 MAY 2009)
FILE 'CAPLUS' ENTERED AT 18:18:08 ON 31 MAY 2009
L1 328 S (SECUR?(20A)(WARN? OR ALERT? OR
ALARM?))//BI, AB
L2 1172913 S (GENOTYP? OR HAPLOTYP? OR SEQUENC? OR
SEQUENC NG OR SNP OR (S
L3 3 S L1 AND L2
```

```
=> d l3 1-3 bib ab
```

```
L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2009 ACS ON STN
AN 2009:311180 CAPLUS << LOGNID::20090531>>
TI Remote network monitoring system for flood control and
drainage of electric power system
IN Geng, Bin; Hu, Qingxian; Zhao, Yunfeng
PA Funing Power Supply Company, Jiangsu Electric Power
Company, Peop. Rep. China
SO Faming Zhuanyi Shenqing Gongkai Shuomingshu CODEN:
CNXXEV
DT Patent
LA Chinese
FAN CNT 1 PATENT NO. KIND DATE APPLICATION
NO. DATE -----
-----
PI CN 101382800 A 20090311 CN 2008-10170860
20081016
PRAI CN 2008-10170860 20081016
AB A remote network monitoring system for flood control and
drainage of an electric power system, falling into programmable
```

computer automatic control field, comprises a remote computer, a touch control screen, a programmable controller, a microcomputer automatic ***security*** ***alarm***, a fully-automatic water level display controller, and an alternate current (AC) contactor, wherein the remote computer, the touch control screen, and the programmable controller are connected in ***sequence***; and the microcomputer automatic ***security*** ***alarm***, the fully-automatic water level display controller, and the AC contactor are connected with the programmable controller respectively. Water supply and drainage is automatically controlled by the computer, and working state of the water supply and drainage devices is monitored by the computer or telephone. The invention has the advantages of high security, convenience and work efficiency.

```
L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2009 ACS ON STN
AN 2008:1013787 CAPLUS << LOGNID::20090531>>
TI System architecture and process for automating intelligent
surveillance center operation
IN Ozdemir, Hasan Timucin; Lee, Kuo Chi; Li, Hongbing; Liu,
Lipin
PA Matsushita Electric Industrial Co., Ltd., Japan
SO U.S. Pat. Appl. Publ. CODEN: USXXCO
DT Patent
LA English
FAN CNT 1 PATENT NO. KIND DATE APPLICATION
NO. DATE -----
```

```
PI US 20080201277 A1 20080821 US 2007-676043
20070216
PRAI US 2007-676043 20070216
AB The intelligent, automated surveillance system collects the
interactions between the ***security*** personal and the
surveillance system during the handling of an ***alarm***.
Each ***alarm*** is modeled as a "transaction" and each
operation/action that a ***security*** personal executes
modeled as an "event" within the transaction. The collected
events within the transaction are in partial order. Furthermore,
the system provides a scoring system for a security manager to
evaluate the performance of the security guard. The score of the
***sequence*** of actions that the ***security*** guard
performed manually and the system performed automatically for
each set of dependent ***alarms*** are used to decide future
***sequence*** of operation. Security guards can overwrite
the automatic ***sequencing*** of actions with manual
***sequence*** of operations.
```

```
L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2009 ACS ON STN
AN 2005:226643 CAPLUS << LOGNID::20090531>>
DN 142:263956
TI Home security system with motion sensors integrated with
communication systems and a pepper spray canister
IN Burn, Alexander Richard; Schroeder, Mark
PA Sixis Internat Pty Ltd, S. Afr.
SO S. African, 37 pp. CODEN: SFXOAB
DT Patent
LA English
FAN CNT 1 PATENT NO. KIND DATE APPLICATION
NO. DATE -----
-----
PI ZA 2002005986 A 20030401 ZA 2002-5986
20020726
PRAI ZA 2001-3287 A 20010426
AB A security device for residences and buildings comprises a
pepper gas canister, an actuator for actuating expulsion of
pepper gas from the canister, and a control system, integrated
```

with motion detectors, IR sensors, and communication lines, to activate the actuator and expel gas from the canister. The system also includes a programmed time ***sequence*** following a signal from a sensor (e.g., a magnetic door or window guard, motion detectors, IR sensors, etc., that detect the presence of an intruder) prior to activation of the actuator, which involves a time delay to permit entrance and exit arming delays, the duration and/or delay of gas expulsion, sounding an audible ***alarm***, user (owner) intervention, communications between the microprocessor and owner, notifying police or other armed ***security*** forces, and a status display. Following expulsion of the gas into the building(s), the system can further communicate with incoming security forces and can be integrated with other signals from sensors to give an update on the location of the intruders.

=> d his

(FILE 'HOME' ENTERED AT 18:17:53 ON 31 MAY 2009)
FILE 'CAPLUS' ENTERED AT 18:18:08 ON 31 MAY 2009
L1 328 S (SECUR?(20A)(WARN? OR ALERT? OR
ALARM?))/BI, AB
L2 1172913 S (GENOTYP? OR HAPLOTYP? OR SEQUENC? OR
SEQUENCING OR SNP OR (S
L3 3 S L1 AND L2

=> log y

COST IN U.S. DOLLARS	SINCE FILE	
TOTAL	ENTRY	SESSION
FULL ESTIMATED COST	65.76	65.98

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE
FILE TOTAL	ENTRY
SESSION	
CA SUBSCRIBER PRICE	-2.46 -2.46

STN INTERNATIONAL LOGOFF AT 18:21:53 ON 31 MAY 2009